

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED FINAL 01 Apr 88 to 31 Dec 90	
4. TITLE AND SUBTITLE MODELING OF FREE VISCOELASTIC JETS AND INSTABILITY MECHANISMS			5. FUNDING NUMBERS AFOSR-88-0164 61102F 2304/A4	
6. AUTHOR(S) GREG FOREST AND STEPHEN BECHTEL				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) OHIO STATE UNIVERSITY DEPARTMENT OF MATHEMATICS 231 WEST 18th Avenue Columbus, OH 43210-1174			8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR-88 91 0684	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE Bldg 410 Bolling AFB DC 20332-6449			10. SPONSORING / MONITORING AGENCY REPORT NUMBER AFOSR-88-0164	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The prinipal investigators, Greg Forest and Stephen Bechtel, have made progress on analytical, numerical, and experimental fronts in our studies of non-Newtonian fluids. The resources afford by this grant have contributed significantly to these research efforts. In addition to summer support for the p.i.'s the AFOSR has partially supported Basab Maulik, a postdoc from Princeton University; Karen Bolinger, a 1989 Ph.D graduate under the advisement of Forest; Qi Wang, a 1991 Ph.D. graduate of forest's; and Gene Cao, a current Ph.D. candidate of Forest's who will gaduate in 1992. We summarize the main resulsrts which have been attained during this granting period an the publications which have resulted that acknowledge this AFOSR grant. The results will be separated into an analytical category, a numerical category, and an experimental category.				
14. SUBJECT TERMS			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED			18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED
			20. LIMITATION OF ABSTRACT SAR	

AD-A233 1/4



V

Final Report
AFOSR Grant 88-0164

A-1

The principal investigators, Greg Forest and Stephen Bechtel, have made progress on analytical, numerical, and experimental fronts in our studies of non-Newtonian fluids. The resources afforded by this grant have contributed significantly to these research efforts. In addition to summer support for the p.i.'s, the AFOSR has partially supported Basab Maulik, a postdoc from Princeton University; Karen Bolinger, a 1989 Ph.D. graduate under the advisement of Forest; Qi Wang, a 1991 Ph.D. graduate of Forest's; and Gene Cao, a current Ph.D. candidate of Forest's who will graduate in 1992.


We summarize the main results which have been attained during this granting period and the publications which have resulted that acknowledge this AFOSR grant. The results will be separated into an analytical category, a numerical category, and an experimental category.

I. Analytical Studies

We now have produced two asymptotic theories (pointwise and averaged) for slender free surface non-Newtonian jets. This analysis: (a) reduces spatial dimensions from three to one; (b) yields a seven parameter family of closed systems of pde's in one space, one time that govern slender free non-Newtonian jets; (c) establishes formal consistency to all orders of perturbation for these 1-D models; (d) produces explicit models of a catastrophic change-of-type from hyperbolic to mixed hyperbolic/elliptic type. These results are contained in references [1-6].

These studies have spawned several new ongoing projects related to: numerical loss-of-evolution, change-of-type in the full 3-D Maxwell models, physical validity and consequences of a mathematical change-of-type, numerical detection and consequences of change-of-type, physically meaningful regularizations that produce well-posedness in

91-06899



an ill-posed regime, the analysis of convergent and stable numerical codes, and molecular dynamics simulations of dilute polymer solutions. These current projects involve collaborations with M. Gunzburger, VPI, James Turner, Hampton University, and C. Jayaprakash, Department of Physics, Ohio State University, as well as two Ph.D. students of Forest, Q. Wang and J. Cao.

II. Numerical Studies

We have several interconnected numerical studies, involving the p.i.'s, Maulik, Wang, Cao, and more recently Gunzburger and Turner.

Wang has focussed on the numerical simulation of specific asymptotic model systems. These codes compute well-posed boundary value problems for steady solutions based on the characteristics of the pde systems. Steady states are computed, linearized stability of steady states and effects of boundary conditions are computed, and the full time-dependent codes are developed and run in a neighborhood of steady states to explore basins of stability and robustness with respect to parameters. The systems of pde's have change-of-type behavior, and there are nontrivial coding issues related to this. It is here that mathematically deduced physical regularization of a change-of-type is critical. We know that in our 1-D model problems the retardation effects regularize the elliptic change-of-type from high Weissenberg numbers, but only in a neighborhood of constant solutions. The development of a stable code for the regularized equations is in progress. This project is prototypical of the 3-D loss-of-evolution pathologies.

Cao has developed numerical codes which allow for the investigation of the asymptotic validity of leading order slender jet solutions. Many solutions to "thin filament" models have been presented in the engineering and polymer processing literature since 1969. Our work was the first to demonstrate that these models can be obtained as the leading order problems in a *formally* valid slender jet expansion (see § I); now in the paper with Cao [8] we are the first to investigate, on a solution-by-solution

basis, which solutions are indeed asymptotically valid. Briefly, we find that, although all of the models are formally valid, particular solutions to these models may be valid (corrections to the leading order behavior remain small) or invalid (corrections become sufficiently large to disrupt the asymptotic ordering on which the theory is based).

Maulik has numerically studied laminar transition in 2-D and 3-D Maxwell fluids. These studies involve massive codes and the results are now beginning to get published. We anticipate comparison of these macroscopic simulations with molecular dynamics simulations of dilute polymer solutions by C. Jayaprakash, Department of Physics, O.S.U. The goal of this project is to model realistic dynamics of the large polymer molecules and ultimately infer corrections to Maxwell fluid models which are connected to realistic polymer dynamics.

III. Experimental Studies

Experiments have been performed involving free surface jets of four very different types of fluids: (1) water, (2) viscoelastic aqueous biopolymer solutions in three different concentrations (Xanthan gum), (3) a viscoelastic aqueous surfactant solution (Ethoquad/sodium salicylate), and (4) water/detergent solutions.

The experiments imply that:

- 1) robust, slender jet profiles exist, so that the assumptions of our asymptotics are supported;
- 2) noticeable effects due to material (viscoelastic) properties are documented in otherwise identical experiments.

An open problem in rheology: How does one measure relaxation time Λ_1 in elongational flows? (Measurement of elongational response in fluids has proven difficult because regions of elongational flow are in general difficult to isolate and involve free surfaces, which complicates the analysis. Elongational response cannot be inferred from the more easily measured shear response of a fluid.) Our asymptotic models for free jet

flow (which is elongational) *predict* experimentally measurable effects as functions of Λ_1 for other parameters fixed. This poses an intriguing *inverse problem* from our analysis: we infer Λ_1 by comparing experimental properties of the free jet flow (e.g., the wavelength and amplitude of the observed nonlinear spatial oscillation in the steady profile of a jet issuing from an elliptical orifice, and the growth or decay of these quantities in successive cycles down the jet) with the corresponding value of Λ_1 that produces the same properties in the 1-D model.

REFERENCES

1. S.E. Bechtel, M.G. Forest, D.D. Holm, and K.J. Lin, "1-D Closure Models for 3-D Incompressible Viscoelastic Free Jets: von Kármán Flow Geometry and Elliptical Cross Section," *Journal of Fluid Mechanics*, Vol. 196, November 1988, pp. 241-262.
2. S.E. Bechtel, M.G. Forest, K.J. Lin, and D.D. Holm, "1-D Closure Models for Slender 3-D Viscoelastic Free Jets with Elliptical Cross Section," Proceedings of the AIAA/ASME/SIAM/APS 1st National Fluid Dynamics Conference, July 1988, Cincinnati, Ohio, Part 3, pp. 2062-2069.
3. M.G. Forest and Q. Wang, "Change-of-Type Behavior in Viscoelastic Slender Jet Models," *Theoretical and Computational Fluid Dynamics*, Vol. 2, 1991, pp. 1-25.
4. S.E. Bechtel, M.G. Forest, and K.J. Lin, "Closure to All Orders in 1-D Models for Slender Viscoelastic Free Jets I. An Integrated Theory for Axisymmetric, Torsionless Flows," submitted to the Archive for Rational Mechanics and Analysis.
5. S.E. Bechtel, K.D. Bolinger, and M.G. Forest, "On the Validity of Strongly Viscoelastic Slender Jet Models," Ohio State Mathematical Research Institute Preprint No. 90-41, October 1990.
6. S.E. Bechtel, M.G. Forest, and K.J. Lin, "Asymptotic 1-D Models for 3-D Viscoelastic Free Jets: Closure to All Orders," Ohio State Mathematical Research Institute Preprint No. 90-42, October 1990.
7. S.E. Bechtel, "The Oscillation of Slender Elliptical Inviscid and Newtonian Jets: Effects of Surface Tension, Inertia, Viscosity, and Gravity," *ASME Journal of Applied Mechanics*, Vol. 56, December 1989, pp. 968-974.
8. S.E. Bechtel, J.Z. Cao, and M.G. Forest, "Practical Application of a Higher Order Perturbation Theory for Slender Viscoelastic Jets and Fibers," submitted to the Journal of Non-Newtonian Fluid Mechanics.
9. B.K. Maulik, "Linear Instability of Laminar Flow for the Oldroyd-B Fluid in a Planar Channel," *Journal of Non-Newtonian Fluid Mechanics*, to appear.

PRESENTATIONS

"On the Behavior of Viscoelastic Free Jets with Elliptical Cross Section," Applied Mechanics and Engineering Sciences Conference, University of California, Berkeley, June 1988; abstract in Section 7 of the proceedings.

"1-D Closure Models for Slender 3-D Viscoelastic Free Jets with Elliptical Cross Section," AIAA/ASME/SIAM/APS 1st National Fluid Dynamics Congress, Cincinnati, Ohio, July 1988; paper in the proceedings on pp. 2062-2069.

"1-D Closure Models for Newtonian and Viscoelastic Free Jets: Lowest Order Equations and Higher Order Corrections," 41st Annual Meeting of the American Physical Society, Division of Fluid Dynamics, Buffalo, New York, November 1988; abstract on page 2245 of the program.

"The Effects of Viscoelastic Properties on the Oscillation of Elliptical Free Jets," 60th Annual Meeting of the Society of Rheology, Gainesville, Florida, February 1989; abstract on page 40 of the program.

"Asymptotic Closure Models for Non-Newtonian Fluid Jets," invited talk at the Applied Mathematics Colloquium, University of Colorado, Boulder, September 1989.

"Experimental and Theoretical Studies of the Behavior of Viscoelastic Free Jets from Elliptical Orifices," 61st Annual Meeting of the Society of Rheology, Montreal, Canada, October 1989.

"The Oscillation of Elliptical Inviscid and Newtonian Jets: Effects of Surface Tension, Inertia, Viscosity, and Gravity," Winter Annual Meeting of the ASME, San Francisco, California, December 1989.

"Nonlinear Oscillations in Newtonian and Viscoelastic Free Surface Jets," invited talks at the Ohio State University Engineering Mechanics Seminar, Columbus, February 1990, and the University of Michigan Mechanical Sciences Division Seminar, Ann Arbor, March 1990.

"Observations and Analysis of Newtonian and Non-Newtonian Free Surface Jets," invited talk at the University of Rochester Mechanical Engineering Colloquium, Rochester, New York, March 1990.

"Newtonian and Viscoelastic Free Jet Behavior," presented at the Eleventh U.S. National Congress of Applied Mechanics, Tucson, Arizona, May 21-25, 1990.

"On the Validity of Viscoelastic Slender Jet Models," presented at the 62nd Annual Meeting of the Society of Rheology, Santa Fe, New Mexico, October 21-25, 1990.

"The Break-up of Viscoplastic Filaments," and "Stability of Fiber-spinning Processes," presented at the Symposium on Interfacial Phenomena in Viscoelastic Flows, 1991 ASME Applied Mechanics and Biomechanics Summer Conference, The Ohio State University, June 16-19, 1991.